



800 X 2400  MM  
S L A B

Ultimate Collection for Infinte Possibilities

COUNTERTOP  
SURFACES

GOOD FOOD AND A **WARM**  
KITCHEN IS WHAT MAKES A  
 HOUSE A HOME.



**S**INTERED STONE




---

This Is Where We Spend Our Happiest Moments  
And Where We Find The Joy Of Being A FAMILY.



THE QUALITY OF BEING SOPHISTICATED

# APPLICAZIONI AREA



KITCHEN COUNTER TOP



DINING TABLE



LIVING ROOM



FURNITURE





DR\WIND W  
FRAME



FFICE TABLE



STAIRCASE



BATHR M C UNTER



1 Easy to clean



2 Hygienic surface / antibacterial



3 Water resistant



4 Impact resistant



5 Frost resistant



6 Scratch resistant and abrasion resistant



7 Chemical and stain resistant



8 Fire resistant



9 Heat resistant




1 Resistant to bending



## FEATURES

This feature enables a high level of hygiene and makes these tiles a suitable lining material for any environment where hygiene is essential. The stain resistance of ceramic and porcelain tile varies depending on its capacity to resist moisture.






Squared ridge at 45°



Straight squared ridge




Double straight squared ridge



L-shaped squared ridge

# EDGE PROFILE




Rounded ridge at 45°



Rounded straight ridge



Double straight rounded ridge



L-shaped rounded ridge

# EDGE PROFILE



# FULL BODY

C O L L E C T I O N

TYOLOGY  
Full Body

THICKNESS  
15mm & 18mm

SIZE  
800x2400mm



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

8 x 24 mm

Thickness

15 & 18 mm



Transform criticism into

 REACTIVITY

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame



# SINTERED STONE

Typology

Full body

Finish


Glossy & Matt

Size


8 x 24 mm

Thickness

15 & 18 mm



ESPRESSO



WALNUT BROWN



ESSEL BROWN

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant





# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

3 x 24 mm

Thickness

15 & 18 mm



## The combination of different MARBLE



### APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

8 x 24 mm

Thickness

15 & 18 mm



**TERAZZ BROWN SALT & PEPPER**



**TERAZZ BROWN FLAKES**



**TERRAZZO PEACH SNP**

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

8 x 24 mm

Thickness

15 & 18 mm



Design is a  
journey for  
free S U L

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

8 x 24 mm

Thickness

15 & 18 mm



**TERAZZ BLACK SALT & PEPPER**



**TERAZZ BLACK FLAKES**

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Burning Resistant



Scratch Resistant



Slip Resistant





# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size


3 x 24 mm

Thickness

15 & 18 mm



Perfect  
for modern  
ENVIRONMENT



## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt


Size

8 x 24 mm

Thickness

15 & 18 mm

 GRESPORCELAIN



PEARL WHITE



ROYAL QUARTZITE



SAGA WHITE

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

8 x 24 mm

Thickness

15 & 18 mm



simplicity is  
the ultimate

SO PHISTICATED

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size


8 x 24 mm

Thickness

15 & 18 mm



JET BLACK FULL BODY



JET BLACK GLAZE

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant





# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size


3 x 24 mm

Thickness

15 & 18 mm



## EXPRESS through the MODERN STYLE



### APPLICATIONS



Kitchen Cabinet



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

8 x 24 mm

Thickness

15 & 18 mm



**TERAZZ VERDE SALT & PEPPER**



**TERAZZ IVORY SALT & PEPPER**

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

3 x 24 mm

Thickness

15 & 18 mm



Art is an  
adventure, that  
**NEVER ENDS**

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame



# SINTERED STONE

Typology

Full body

Finish


Glossy & Matt

Size


600 x 2400 mm

Thickness

15 & 18 mm



**TERRAZZ GREY SALT & PEPPER**



**WALL STREET GREY**

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant





# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size

3 x 24 mm

Thickness

15 & 18 mm



Crafted  
skillfully

Fit  Anywhere!

## APPLICATIONS



Kitchen Cabinet



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Full body

Finish

Glossy & Matt

Size


8 x 24 mm

Thickness

15 & 18 mm



DESERT GOLD



SCABAS

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Benzing Resistant



Scratch Resistant



Slip Resistant

# BLACK BODY

COLLECTION



TPOLOGY  
**Color Body**

THICKNESS  
**15mm & 18mm**

SIZE  
**800x2400mm**



Typology

Clarity

Finish

Glossy

Size

8 x 24 mm

Thickness

15 & 18 mm



The less you  
**EXPLAIN**  
The Better  
The **Design**

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Clrby

Finish


Glsy

Size


x24 mm

Thickness


15 & 18 mm



AMBRAT GOLD PLZAMA



BLACK PEARL



BLUE PEARL

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bringing Resistant



Scratch Resistant



Slip Resistant





# SINTERED STONE

Typology

Ceramic

Finish

Glossy

Size

300 x 240 mm

Thickness

15 & 18 mm



**QUALITY Spirit of**  
**This Tiles PROVIDING**  
**VOLUME & INTEREST**

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame



# SINTERED STONE

Typology

Clrby

Finish


Glsy

Size


x24 mm

Thickness

15 & 18 mm



**GLDEN PORTORO**



**LURENT GOLD**



**LAMBRAD R BLACK**

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Clarity

Finish


Glossy

Size

8 x 24 mm

Thickness

15 & 18 mm



ELEGANT ARTISTRY  
Adds A QUALITY

f PERFECTION

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Crystalline

Finish

Glossy

Size

60 x 24 mm

Thickness


15 & 18 mm



MARQUINA



RESE BLACK



EMERALD PEARL

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistant



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant





# SINTERED STONE

Typology  
Ceramic

Finish  
Glossy

Size  
x24 mm

Thickness  
15 & 18 mm



Make Your  
Rooms Look

**BIGGER** with us



## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Clay

Finish


Glossy

Size


2400 x 1200 mm

Thickness


15 & 18 mm



F REST GREEN



P RT R BLACK



LEMURIAN BLUE

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant




Scratch Resistant



Slip Resistant

# WHITE BODY

COLLECTION



TPOLOGY  
**Color Body**

THICKNESS  
**15mm & 18mm**

SIZE  
**800x2400mm**



# SINTERED STONE

Typology

Clarity

Finish

Glossy

Size

3 x 24 mm

Thickness

15 & 18 mm



Make it  
happen, tiles

SHOCK every one

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame





# SINTERED STONE

Typology

Clarity

Finish

Glossy

Size

3 x 24 mm


Thickness

15 & 18 mm


 GRESPORCELAIN



APUANE STATUARI



ARABESCAT GOLD



CALCATTI ELITE

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Clarity

Finish

Glossy

Size

8 x 24 mm

Thickness

15 & 18 mm



Design is where  
**SCIENCE & ART**  
**BREAK** even



## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Office Table



Table Top



Door / Window Frame



# SINTERED STONE

Typology

Crystalline

Finish

Glossy

Size


8 x 24 mm

Thickness

15 & 18 mm



CRYSTAL ONYX



IMPERIAL WHITE



MARBLE VOLKAS

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Clarity

Finish

Glossy

Size

3 x 24 mm

Thickness

15 & 18 mm



Make it simple,  
but  
**SIGNIFICANT**

## APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Desk Table



Table Top



Door/Window Frame





# SINTERED STONE

Typology

Clay

Finish

Glossy

Size


3 x 24 mm

Thickness

15 & 18 mm



STATUARI LUCIDATO



STATUARI CALACATTA



STATURI PEARL

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant



# SINTERED STONE

Typology

Clrbody

Finish

Glossy

Size

3 x 24 mm


Thickness

15 & 18 mm



## Tiles bring in the magic

## f L U U R Y



### APPLICATIONS



Kitchen Countertop



Dining Table



Living Room



Furniture



Staircase



Desk Table



Table Top



Door/Window Frame



# SINTERED STONE

Typology

Clrby

Finish

Glsy

Size

x24 mm

Thickness

15 & 18 mm

GRESPORCELAN



TERRAZZ WHITE



PEBBLE WHITE

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

# SINTERED STONE

Typology

Color body

Finish

Glossy

Size

800x2400 mm

Thickness

15 & 18 mm



SANTORINI WHITE



ORCHID JADE

## CHARACTERISTICS



Hygienic Surface



Impact Resistant



Acid Resistance



Heat Resistant



Bending Resistant



Scratch Resistant



Slip Resistant

# TECHNICAL SPECIFICATION

| CHARACTERISTICS | STANDARD AS PER ISO-13006/En14411 GROUP | VALUES | TEST METHOD |
|-----------------|---|--------|-------------|
|-----------------|---|--------|-------------|

## REGULATORY PROPERTIES

|                             |             |           |                |
|-----------------------------|-------------|-----------|----------------|
| Deviation in Length & Width | 0.50%       | 0.20%     | ISO - 10545-2  |
| Deviation in Thickness      | 0.50%       | 0.50%     | ISO - 10545-2  |
| Straightness of Sides       | 0.50%       | 0.20%     | ISO - 10545-2  |
| Rectangularity              | 0.50%       | 0.20%     | ISO - 10545-2  |
| Surface Flatness            | 0.50%       | 0.20%     | ISO - 10545-2  |
| Color Difference            | Unaltered   | No Change | ISO - 10545-16 |
| Glossiness                  | As per Mfg. | >90%      | Glossmeter     |

## STRUCTURAL PROPERTIES

|                  |            |            |               |
|------------------|------------|------------|---------------|
| Water Absorption | <0.05%     | <0.05%     | ISO - 10545-3 |
| Apparent Density | >2.00 g/cc | >2.10 g/cc | DIN 51082     |

## MASSIVE MECHANICAL PROPERTIES

|                    |                         |                         |               |
|--------------------|-------------------------|-------------------------|---------------|
| Modulus of Rupture | Min 35N/MM <sup>2</sup> | Min 40N/MM <sup>2</sup> | ISO - 10545-4 |
| Breaking Strength  | Min. 1300 N             | Min. 2000 N             | ISO - 10545-4 |
| Impact Resistance  | As per Mfg.             | Min. 0.55               | ISO - 10545-5 |

## SURFACE MECHANICAL PROPERTIES

|                             |             |              |               |
|-----------------------------|-------------|--------------|---------------|
| Surface Abrasion Resistance | As per Mfg. | Min. class 3 | ISO - 10545-7 |
| Moh's Hardness              | As per Mfg. | Min. class 4 | EN 101        |

## THERMO HYGROMETRIC PROPERTIES

|                          |                          |                          |                |
|--------------------------|--------------------------|--------------------------|----------------|
| Frost Resistance         | No Damage                | No Damage                | ISO - 10545-12 |
| Thermal Shock Resistance | No Damage                | No Damage                | ISO - 10545-09 |
| Moisture Expansion       | Nil                      | Nil                      | ISO - 10545-10 |
| Thermal Expansion        | Max 9.0x10 <sup>-6</sup> | Max 6.5x10 <sup>-6</sup> | ISO - 10545-08 |
| Crazing Resistance       | As per Mfg.              | Min 10 Cycle             | ISO - 10545-11 |

## CHEMICAL PROPERTIES

|                     |           |           |                |
|---------------------|-----------|-----------|----------------|
| Chemical Resistance | No Damage | No Damage | ISO - 10545-13 |
| Stain Resistance    | Resistant | Resistant | ISO - 10545-14 |

## SAFETY PROPERTIES

|                 |             |            |                |
|-----------------|-------------|------------|----------------|
| Slip Resistance | As per Mfg. | >0.40      | ISO - 10545-17 |
| Fire Resistance | As per Mfg. | Fire Proof | N.A.           |

# PACKING DETAILS

| TILE SIZE  | THICKNESS (approx.) | NO.OF TILES/BOX | WEIGHT/BOX (approx.) | COVERAGE AREA |
|------------|---------------------|-----------------|----------------------|---------------|
| 800 X 2400 | 15 MM               | 1 Pcs           | 67 kg                | 20.67 Sq. Ft. |
|            | 18 MM               |                 | 81 kg                |               |

